

IQ801



Heat resistance and fast dry time

IQ801 is a unique solvent based black ink that is designed with heat resistance, ensuring less smudging or offsetting during heat-sealing processes. This ink is ideal for marking on packages that is sealed by heat sealer in their manufacturing process.

Features

- Heat resistance.
- Fast dry time.
- Compliant with RoHS. PFAS Free.

Suggested substrates

OPP	PP	PET	PE
PVC	Rubber	Glass	AL
Coated-paper	Carton	Paper	Wood

Specification

Cartridge	HP 45si (1/2")
Color	Black ●
Ink grade	Solvent
Parameters	9.6V, 1.6μs
Pulse warming	Off
Shelf life	9 months from fill date
Storage temp.	15-35°C
Max frequency	12kHz

Remarks

- Refer to SDS before use for safe handling.
- Before use, wipe the printhead gently with a dry lint-free cloth.
- After use, seal the printhead with the originally attached cartridge clip and store the cartridge with the position of its printhead UP until next use.

2.0mm : ABCDEFGHI12345678

2.5mm : ABCDEF123456

3.0mm : ABCD12345



300x300 Cast-coated paper



www.linkedin.com



www.general.co.jp

- All technical information here is based on our laboratory evaluation and can be varied by real condition. Not always guaranteed.
- Conducting print test under user's real use condition is recommended to avoid any unexpected issues.
- The contents are subject to change without notice, so please contact us for the latest information.
- The image is for reference only. The color or quality may differ from the actual product.

